

κ state solutions for the fermionic massive spin-2 1 particles interacting with double ring-shaped Kratzer and oscillator potentials

K. J. Oyewumi*, B. J. Falaye† and C. A. Onate‡
*Theoretical Physics Section, Department of Physics,
University of Ilorin, P. M. B. 1515, Ilorin, Nigeria*
*kjoyewumi66@unilorin.edu.ng
†fbjames11@physicist.net
‡onateca12@gmx.us

O. J. Oluwadare
*Department of Physics, Federal University Oye-Ekiti,
P. M. B. 373, Ekiti State, Nigeria*
jostimint@yahoo.com

W. A. Yahya
*College of Pure and Applied Sciences,
Department of Physics and Material Science,
Kwara State University, P. M. B. 1530, Ilorin, Nigeria*
wazzy4real@yahoo.com

Received 10 July 2013

Revised 7 January 2014

Accepted 9 January 2014

Published 25 February 2014

Abstract

In recent years, an extensive survey on various wave equations of relativistic quantum mechanics with different types of potential interactions has been a line of great interest. In this regime, special attention has been given to the Dirac equation because the spin- 2 1 fermions represent the most frequent building blocks of the molecules and atoms. Motivated by the considerable interest in this equation and its relativistic symmetries (spin and pseudospin), in the presence of solvable potential model, we attempt to obtain the relativistic bound states solution of the Dirac equation with double ring-shaped Kratzer and oscillator potentials under the condition of spin and pseudospin symmetries. The solutions are reported for arbitrary quantum number in a compact form. The analytic bound state energy eigenvalues and the associated upper- and lower-spinor components of two Dirac particles have been found. Several typical numerical results of the relativistic eigenenergies have also been presented. We found that the existence or absence of the ring shaped potential has strong effects on the eigenstates of the Kratzer and oscillator.